## IN THE CLAIMS:

The text of all pending claims, (including withdrawn claims) is set forth below. Cancelled and not entered claims are indicated with claim number and status only. The claims as listed below show added text with underlining and deleted text with strikethrough. The status of each claim is indicated with one of (original), (currently amended), (cancelled), (withdrawn), (new), (previously presented), or (not entered).

Please AMEND claims 1-13 in accordance with the following:

1. (CURRENTLY AMENDED) A disclosing method for disclosing browsable information stored in a central apparatus in response to a request sent from a terminal apparatus connected to the central apparatus through a communication network, comprising steps of:

accepting headline information of the browsable information, authorized user information of a user authorized to browse the browsable information, and storage location information of the browsable information;

registering the accepted headline information and the authorized user information in association with the storage location information;

receiving identification information for identifying a user, which identification information is sent from the terminal apparatus to the central apparatus;

extracting an HP <u>a hyperlink</u> title and a URL of an individual storage location based on the received identification information and the registered authorized user information;

generating a document containing a hyperlink including the extracted HP <u>hyperlink</u> title wherein hyperlink to the extracted URL of the individual storage location is defined; and transmitting the generated document to the terminal apparatus.

(CURRENTLY AMENDED) The disclosing method according to claim 1, wherein'
the accepting further accepts limitation information for limiting browsing of the browsable
information according to whether the request is sent through the communication network or through
an auxiliary communication network different from said communication network;

the registering registers the accepted headline information, limitation information, and authorized user information in association with the storage location information; and

the extracting extracts the HP <u>hyperlink</u> title and the URL of the individual storage location based on the received identification information, the registered authorized user information, and the limitation information when the request is sent through the auxiliary communication network.

3. (CURRENTLY AMENDED) The disclosing method according to claim 1, wherein the accepting accepts first storage location information corresponding to a case where the request is accepted through the communication network and second storage location information corresponding to a case where the request is accepted through an auxiliary communication network different from said communication network;

the registering registers the accepted headline information and the authorized user information items in association with the first and the second storage location information; and

the extracting extracts the HP <u>hyperlink</u> title and a first URL of the individual storage location, for which said first URL of the individual storage location is set, based on the received identification information and the registered authorized user information when the request is sent through the communication network, and, extracts the HP <u>hyperlink</u> title and a second URL of the individual storage location, for which said second URL of the individual storage location is set, based on the received identification information and the registered authorized user information when the request is sent through the auxiliary communication network.

4. (CURRENTLY AMENDED) A disclosing system for disclosing browsable information, comprising:

a central apparatus in which the browsable information is stored; and

a terminal apparatus, which is connected to the central apparatus through a communication network, sending a request to said central apparatus,

wherein the central apparatus includes a processor capable of performing operations of accepting headline information of the browsable information, authorized user information of a user authorized to browse the browsable information, and storage location information of the browsable information;

registering the accepted headline information and authorized user information in association with the storage location information;

receiving identification information for identifying a user, which identification information is sent from the terminal apparatus to the central apparatus;

extracting an HP a hyperlink title and a URL of the individual storage location based on the received identification information and the registered authorized user information;

generating a document containing a hyperlink including the extracted HP <u>hyperlink</u> title, wherein the hyperlink to the extracted URL of an individual storage location is defined; and transmitting the generated document to the terminal apparatus.

5. (CURRENTLY AMENDED) The disclosing system according to claim 4, whereinthe accepting operation accepts limitation information limiting browsing of the browsable information according to whether the request is sent through the communication network or through an auxiliary communication network different from said communication network;

the registering operation registers the accepted headline information, limitation information, and authorized user information in association with the storage location information; and

the extracting operation extracts the HP <u>hyperlink</u> title and the URL of the individual storage location based on the received identification information and the registered authorized user information and limitation information when the request is sent through the auxiliary communication network.

6. (CURRENTLY AMENDED) A central apparatus, in which browsable information is stored, for disclosing said browsable information in response to a request sent from outside, comprising:

a processor, the processor capable of performing operations of:

accepting headline information of the browsable information, authorized user information of a user authorized to browse the browsable information, and storage location information of the browsable information;

registering the accepted headline information and the authorized user information in association with the storage location information;

receiving identification information for identifying a user, which identification information is sent from the terminal apparatus to the central apparatus;

extracting an HP a hyperlink title and a URL of the individual storage location based on the received identification information and the registered authorized user information;

generating a document containing a hyperlink including the extracted HP <u>hyperlink</u> title, wherein the hyperlink to the extracted URL of the individual storage location is defined, and transmitting the generated document to the terminal apparatus

7. (CURRENTLY AMENDED) The central apparatus according to claim 6, wherein: the accepting accepts limitation information for limiting browsing of the browsable information according to whether the request from the outside is sent through the communication network or through an auxiliary communication network different from said communication network; the registering registers the accepted headline information, limitation information, and

authorized user information in association with the storage location information;, and

the extracting extracts the HP <u>a hyperlink</u> title and the URL of the individual storage location based on the received identification information, the registered authorized user information, and the limitation information when the request is sent through the auxiliary communication network.

8. (CURRENTLY AMENDED) A computer memory product, in which browsable information is stored and a computer program for disclosing said browsable information is recorded in response to a request sent from outside, the computer memory product

causing a computer to accept headline information of the browsable information, authorized user information of a user authorized to browse the browsable information, and storage location information of the browsable information;

causing the computer to register the accepted headline information and authorized user information in association with the storage location information;

causing the computer to receive identification information for identifying a user, the identification information is transmitted from outside;

causing the computer to extract an HP a hyperlink title and a URL of the individual storage location based on the received identification information and the registered authorized user information;

causing the computer to generate a document containing a hyperlink including the extracted HP <u>hyperlink</u> title, wherein the hyperlink to the extracted URL of an individual <del>and</del> storage location is defined; and

causing the computer to transmit the generated document outside of the computer.

9. (CURRENTLY AMENDED) The computer memory product according to claim 8, wherein:

the accepting causes the computer to further accept limitation information for limiting browsing of the browsable information according to whether the request from the outside is sent through the communication network or through an auxiliary communication network different from said communication network;

the registering causes the computer to register the accepted headline information, limitation information, and authorized user information in association with the storage location information; and

the extracting causes the computer to extract the HP <u>hyperlink</u> title and the URL of the individual storage location based on the received identification information, the registered

authorized user information, and the limitation information when the request is sent through the auxiliary communication network.

10. (CURRENTLY AMENDED) A disclosing system for disclosing browsable information, comprising:

a central apparatus in which the browsable information is stored; and

a terminal apparatus, which is connected to the central apparatus through a communication network, for sending a request to said central apparatus,

wherein the central apparatus includes:

acceptance means for accepting headline information of the browsable information, authorized user information of a user authorized to browse the browsable information, and storage location information of the browsable information;

registration means for registering the accepted headline information and authorized user information in association with the storage location information;

means for receiving identification information for identifying a user, which identification information is sent from the terminal apparatus to the central apparatus;

extraction means for extracting an HP <u>a hyperlink</u> title and a URL of the individual storage location based on the received identification information and the registered authorized user information;

generation means for generating a document containing a hyperlink including the extracted HP <u>hyperlink</u> title, wherein the hyperlink to the extracted URL of an individual storage location is defined, and

transmission means for transmitting the generated document to the terminal apparatus.

11. (CURRENTLY AMENDED) The disclosing system according to claim 10, wherein:

the acceptance means accepts limitation information for limiting browsing of the browsable information according to whether the request is sent through the communication network or through an auxiliary communication network different from said communication network;

the registration means registers the accepted headline information, limitation information, and authorized user information in association with the storage location information; and

the extraction means extracts the <u>hyperlink HP</u> title and the URL of the individual storage location based on the received identification information and the registered authorized user information and limitation information when the request is sent through the auxiliary

communication network.

12. (CURRENTLY AMENDED) A central apparatus, in which browsable information is stored, for disclosing said browsable information in response to a request sent from outside, comprising:

a processor, the central apparatus capable of performing operations of acceptance means for accepting headline information of the browsable information, authorized user information of a user authorized to browse the browsable information, and storage location information of the browsable information;

registration means for registering the accepted headline information and authorized user information in association with the storage location information;

means for receiving identification information for identifying a user, which identification information is sent from outside;

extraction means for extracting an HP a hyperlink

title and the a URL of the individual storage location based on the received identification information and the registered authorized user information;

generation means for generating a document containing a hyperlink including the extracted HP hyperlink title, wherein the hyperlink to the extracted URL of an individual storage location is defined:

and

transmission means for transmitting the generated document to the outside of the central apparatus.

13. (CURRENTLY AMENDED) The central apparatus according to claim 12, wherein

the acceptance means accepts limitation information for limiting browsing of the browsable information according to whether the request from the outside is sent through the communication network or through an auxiliary communication network different from said communication network:

the registration means registers the accepted headline information, limitation information, and authorized user information in association with the storage location information; and

the extraction means extracts the HP <u>hyperlink</u> title and the URL of the individual storage location based on the received identification information, the registered authorized user information, and the limitation information when the request is sent through the auxiliary

communication network.

14. (PREVIOUSLY PRESENTED) A disclosing method for disclosing browsable information stored in a central apparatus in response to a request from a terminal apparatus, comprising:

accepting headline information, authorized user information, and storage location information of the browsable information;

registering the accepted headline information and the authorized user information in association with the storage location information; and

extracting the headline information and the storage location information based on identification information and the registered authorized user information.

- 15. (PREVIOUSLY PRESENTED) The disclosing method according to claim 14, further generating a document containing a hyperlink made up of the extracted headline information and storage location information.
- 16. (PREVIOUSLY PRESENTED) The disclosing method according to claim 14, wherein the accepting accepts limitation information limiting browsing of the browsable information according to whether the request is sent through a communication network or through an auxiliary communication network different from said communication network.
- 17. (PREVIOUSLY PRESENTED) The disclosing method according to claim 14, wherein the accepting accepts first storage location information corresponding to a case where the request is accepted through a communication network and the second storage location information corresponding to a case where the request is accepted through an auxiliary communication network different from said communication network.
- 18. (PREVIOUSLY PRESENTED) A computer-readable storage storing a program for controlling a computer to perform disclosing browsable information stored in a central apparatus in response to a request from a terminal apparatus, by:

accepting headline information, authorized user information, and storage location information of the browsable information;

registering the accepted headline information and the authorized user information in association with the storage location information; and

extracting the headline information and the storage location information based on identification information and the registered authorized user information.

- 19. (PREVIOUSLY PRESENTED) The computer-readable storage storing a program for controlling a computer according to claim 18, by further generating a document containing a hyperlink made up of the extracted headline information and storage location information.
- 20. (PREVIOUSLY PRESENTED) The computer-readable storage storing a program for controlling a computer according to claim 18, wherein the accepting accepts limitation information limiting browsing of the browsable information according to whether the request is sent through a communication network or through an auxiliary communication network different from said communication network.
- 21. (PREVIOUSLY PRESENTED) The computer-readable storage storing a program for controlling a computer according to claim 18, wherein the accepting accepts first storage location information corresponding to a case where the request is accepted through a communication network and the second storage location information corresponding to a case where the request is accepted through an auxiliary communication network different from said communication network.
- 22. (PREVIOUSLY PRESENTED) A central apparatus for disclosing browsable information in response to a request, comprising:
  - a memory storing the browsable information; and
  - a processor connectable to the memory,

wherein the processor accepts headline information, authorized user information, and storage location information of the browsable information, registers the accepted headline information and the authorized user information in association with the storage location information, and extracts the headline information and the storage location information based on identification information and the registered authorized user information.

23. (PREVIOUSLY PRESENTED) The central apparatus according to claim 22, wherein the processor further generates a document containing a hyperlink made up of the extracted headline information and storage location information.

- 24. (PREVIOUSLY PRESENTED) The central apparatus according to claim 22, wherein the processor accepts limitation information limiting browsing of the browsable information according to whether the request is sent through a communication network or through an auxiliary communication network different from said communication network.
- 25. (PREVIOUSLY PRESENTED) The central apparatus according to claim 22, wherein the processor accepts first storage location information corresponding to a case where the request is accepted through a communication network and the second storage location information corresponding to a case where the request is accepted through an auxiliary communication network different from said communication network.